

# **MUELLER**

## **VITREOUS CHINA WARE**



**CATALOG - H**

**MUELLER CO.**  
**DECATUR, ILL.**



1865

5-1-1865

1865

1865

# THIS IS CATALOG **Nº 3001**

DIRECTIONS FOR OPERATING


## **MUELLER**

VITREOUS CHINAWARE CATALOG "H"  
EXPANDING POSTS WITH BAR & SLEEVES



### TO OPEN

Push bar on top wing back and lift the top wing with cover off posts.




### TO CHANGE SHEETS

Turn to page where change is to be made and remove all sheets above this page with the loose bar attachment.



### TO CLOSE BINDER

Replace sheets, bring forward the wing in top cover over the screw heads in posts and push bar forward until it fits into the small grooves under the screw heads.




### TO INCREASE CAPACITY

Merely turn up the screws in posts to capacity desired.

**MUELLER CO., Decatur, Ill.**

BRANCHES. New York, San Francisco, Dallas, Los Angeles, Atlanta. CANADIAN FACTORY, MUELLER, Ltd., Sarnia, Ont.







## INTRODUCTION

The name **Mueller** has been for nearly three-quarters of a century a synonym for the highest grade plumbing goods at a fair price. In entering the Vitreous China field the same high standards established in the manufacture of Plumbing, Waterworks, and Gas Brass goods have been followed. This mere statement carries with it full assurance as to the quality, durability, and uniform excellence of **Mueller** products.

All Vitreous China Plumbing Fixtures illustrated or described in this book are Two-Fired Vitreous China. Two-fired Vitreous China is recognized as the most sanitary material of which Plumbing Fixtures can be made. Being China Clay fired to such a high degree that it is vitrified throughout, the glaze becomes fused with the body, at the same time retaining its high lustre and rendering it absolutely non-absorbent. The chemical action of soaps and acids do not affect it in any way.

Vitreous China contains, in addition to the China Clay, feldspar and flint, which when fired in the kiln are thoroughly fused together, making an impervious body. It is clear white and is easily kept clean as the surface is extremely hard and smooth, being practically the same as glass. In making Two-Fired Vitreous China, the ware is first fired before it is glazed. Upon completion of this firing it is withdrawn from the kiln a white non-porous body known as bisque ware. The piece is then covered with the glaze and fired the second time, the glaze fusing into the body itself which results in a gloss finish which is non-porous, non-absorbent, and cannot peel.

The impervious body and the ease with which it may be cleaned make **Mueller** Two-fired Vitreous China products ideal for all plumbing installations.



## GRADING FIXTURES

Throughout the Various Processes required in the manufacture of **Mueller** Vitreous China Fixtures the most careful inspection is enforced and a well equipped Laboratory, under the supervision of an expert Ceramist, is maintained so that all raw materials may be carefully tested. Due to the extreme care exercised in the manufacture, and the high quality of material used, **Mueller** Fixtures are noted for the permanent whiteness and the fine texture of the body which greatly increases its tensile strength and also aids in making it more vitreous. **Mueller** Vitreous China Plumbing Fixtures are fully warranted against inferior workmanship or material entering into the manufacture of our products.

Vitreous China Plumbing Fixtures shall be graded in accordance with the grading rules accepted and issued by the United States Bureau of Standards.

Vitreous China Plumbing Fixtures are made of materials mined from the earth, containing metallic elements and foreign matter which cannot be entirely eliminated in practice. As they are made and finished by hand, and are subjected to a high degree of heat, it is an accepted fact that they cannot be regularly produced free from unimportant variations and minor blemishes.

Careful inspection is employed in each department of manufacture and each of the imperfections permitted under the grading rules are taken into consideration. These blemishes or so-called imperfections do not affect the utility or value of the fixture.

We have a large stock of finished fixtures on hand and unless customers can make their own selection, fixtures shipped on orders must be accepted as grading is done only by experienced men.



## ROUGHING-IN MEASUREMENTS

Roughing-in measurements are given as illustrated simply to assist Architects, Plumbing Supply Houses, and Master Plumbers.

All measurements are approximate and are subject to one-half inch variation which is due entirely to contraction and expansion of the various pieces during the processes of manufacture and the extremely high temperature to which the fixtures are subjected.

All measurements have been carefully checked and we believe them to be correct. Should shipment be made of a fixture which does not check up with measurements given we will not be responsible for any expense incurred by any one except to furnish a suitable fixture. We are constantly developing new fixtures and designs. Therefor all measurements are subject to change without notice. Where a number of fixtures are used we recommend that you write the factory, whereupon the correct measurements shall be furnished or a sample of each fixture shipped as will be furnished on your specification. In every case where floor and wall lines are shown they represent the finished floor and wall lines. All dimensions shown in inches.

## WEIGHTS

Approximate shipping weights are given simply for Architects and Engineers to estimate the dead loads and to assist Wholesale Plumbing Supply Houses and Master Plumbers in estimating the weight of orders. From time to time changes are being made in fixtures and methods of crating, therefor weights given are given in good faith and are approximate only. Therefor, any claims arising because of any differences between actual shipping weights and those shown herein will not be allowed. The weights given are subject to change without notice.



MUELLER



*MUELLER*  
LAVATORIES

MUELLER

## THE "DECATUR DE LUXE"



**Plate H-10.** Mueller Decatur DeLuxe two-fired vitreous china Colonial pattern lavatory with integral spout; anti-splash rim; rear outlet square bowl; chromium plated wall brackets; vitreous china Colonial pedestal.

**Mueller H-3625** compression supply and pop-up drain fitting; china four-arm handles and china escutcheons. **H-7281** 1 $\frac{1}{4}$ " "P" trap with china escutcheon. **H-6322**  $\frac{3}{8}$ " supply pipes, stops with china cross arm handles and china escutcheons.

**Plate H-10**—Complete as described

**Plate H-11**—Complete as described  
less fittings.

NOTE: Specify if fittings are desired in chromium or nickel plate. This lavatory may also be used with combinations having spout.

### DIMENSIONS:


Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
24"x20"	24"	20"	12"x16"	155 lbs.
27"x22"	27"	22"	13"x17"	165 lbs.

Specify Plate Number and Size When Ordering

NOTE: For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-10



NOTE: Rough height of supplies ..... Plug & Chain 22½  
Rough height of waste ..... Pop-up Waste Combination 20½  
18 15½

Size	L	W	C	P	F	B	D	G	R
24x20 .....	24	20	12	2⅜	10¾	17¼	3⅜	8	21
27x22 .....	27	22	12	3⅜	11¾	18¼	4½	8½	22

Dimensions subject to ½" variation

## MUELLER

### THE "DECATUR DE LUXE"



**Plate H-12. Mueller Decatur DeLuxe** two-fired vitreous china Colonial pattern lavatory with integral spout; anti-splash rim; rear outlet square bowl; chromium plate wall brackets; vitreous china Colonial pattern pedestal.

**Mueller H-3600** compression supply and pop-up drain fittings; four-arm handles and escutcheons. **H-7281** 1½" "P" trap with china escutcheon. **H-6322** ¾" supply pipes; stops with china cross arm handles and china escutcheons.

Fittings furnished in chromium plate only.

**Plate H-12**—Complete as described

**Plate H-13**—Complete as described less fittings.

#### DIMENSIONS:

Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
24"x20"	24"	20"	12"x16"	155 lbs.
27"x22"	27"	22"	13"x17"	165 lbs.

**Plate H-14—Mueller Decatur DeLuxe** two-fired vitreous china Colonial pattern lavatory with integral spout; anti-splash rim; rear outlet square bowl; chromium plate wall brackets; vitreous china Colonial pattern pedestal.

**Mueller H-3615** compression supply and pop-up drain fittings. China four-arm handles, china spout and escutcheon. **H-7281** 1½" "P" trap with china escutcheons. **H-6322** ¾" supply pipes; stops with china cross arm handles and china escutcheons.

Specify if fittings are desired in chromium plate or nickel plate.

**Plate H-14**—Complete as described

**Plate H-15**—Complete as described less fittings.




Specify Plate Number When Ordering

NOTE: For roughing-in measurements see next page.



ROUGHING-IN MEASUREMENTS  
PLATE H-12 AND H-14



NOTE: Rough height of supplies ..... Plug & Chain ..... 22½  
Rough height of waste ..... 18 ..... Pop-up Waste Combination ..... 20½  
..... 15½

Size	L	W	C	P	F	B	D	G	R
24x20 .....	24	20	12	2⅜	10¾	17¼	3⅜	8	21
27x22 .....	27	22	12	3⅛	11¾	18¼	4½	8½	22

Dimensions subject to ½" variation

MUELLER

## THE "LOVINGTON"



**Plate H-20.** Mueller "Lovington" two-fired vitreous china lavatory with hooded overflow; integral spout; anti-splash rim; rear outlet oval bowl; chromium plated wall brackets; vitreous china square pedestal.

**Mueller H-3625** compression supply and pop-up drain fitting. China four arm handles and china escutcheons. **H-7281** 1 1/4" "P" trap with china escutcheon. **H-6322** 3/8" supply pipes; stops with china cross arm handles and china escutcheons.

**Plate H-20**—Complete as described

**Plate H-21**—Complete as described  
less fittings.

Depressed soap dish regularly furnished on 24"x20" lavatory only.

**NOTE:** Specify if fittings are desired in chromium or nickel plate. This lavatory may also be used with combinations having spout.

### DIMENSIONS:


Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
24"x20"	24"	20"	12"x16"	150 lbs.
27"x22"	27"	22"	13"x17"	165 lbs.

Specify Plate Number and Size When Ordering

**NOTE:** For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-20



NOTE: Rough height of supplies ..... Plug & Chain 22½  
Rough height of waste ..... 18 Pop-up Waste Combination 20½  
15½

Size	W	L	C	P	B	F	D	R
24x20 .....	20	24	12	3	17	12	5	21
27x22 .....	22	27	12	3¾	17	13	5	22

Dimensions subject to ½" variation

# MUELLER

## THE "LOVINGTON"



**Plate H-22. Mueller "Lovington"** two-fired vitreous china lavatory; hooded overflow; anti-splash rim; rear outlet oval bowl; chromium plated wall brackets; square china pedestal.

**Mueller H-3615** compression supply and pop-up drain fitting. China four-arm handles and china escutcheons and china spout. **H-7281** 1 1/4" "P" trap with china escutcheon. **H-6322** 3/8" supply pipes; stops with china cross arm handles and china escutcheons.

Specify if fittings are desired in Chromium plate or nickel plate.

**Plate H-22**—Complete as described

**Plate H-23**—Complete as described less fittings.

Depressed soap dish regularly furnished on 24"x20" lavatory only.

### DIMENSIONS:

Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
24"x20"	24"	20"	12"x16"	150 lbs.
27"x22"	27"	22"	13"x17"	165 lbs.

**Plate H-24. Mueller "Lovington"** two-fired vitreous china lavatory; hooded overflow; anti-splash rim; rear outlet oval bowl; chromium plate wall brackets; vitreous china square pedestal.

**Mueller H-3182** compression lavatory faucets and **H-3675** pop-up drain. China index side lever handles. **H-7281** 1 1/4" "P" trap with china escutcheon. **H-6322** 3/8" supply pipes; stops with china cross arm handles and china escutcheons. Hooded overflow not illustrated but regularly furnished.

Specify if fittings are desired in Chromium plate or nickel plate.

**Plate H-24**—Complete as described

**Plate H-25**—Complete as described less fittings.


Depressed soap dish regularly furnished on 24"x20" lavatory only.



Specify Plate Number and Size When Ordering  
NOTE: For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-22 AND H-24



NOTE: Rough height of supplies ..... Plug & Chain 22½  
Rough height of waste ..... 18 Pop-up Waste Combination 20½  
15½

Size	W	L	C	P	B	F	D	R
24x20 .....	20	24	12	3	17	12	5	21
27x22 .....	22	27	12	3¾	17	13	5	22

Dimensions subject to ½" variation

MUELLER

## THE 'ATWOOD'



**Plate H-30.** Mueller "Atwood" two-fired vitreous china lavatory with hooded overflow; integral spout; anti-splash rim; rear outlet oval bowl; supported on concealed wall bracket.

**Mueller H-3625** compression supply and pop-up drain fitting. China four-arm handles and china escutcheons. **H-7281** 1 $\frac{1}{4}$ " "P" trap with china escutcheon. **H-6322**  $\frac{3}{8}$ " supply pipes; stops with china cross arm handles and china escutcheons.

**Plate H-30**—Complete as described

**Plate H-31**—Complete as described  
less fittings.

Depressed soap dish regularly furnished with 20"x18" and 24"x20" lavatory.

**NOTE:** Specify if fittings are desired in chromium or nickel plate. This lavatory may also be used with combinations having spout.


DIMENSIONS:					Approx. Shipping Weight
Nominal Sizes	Length	Width	Basin		
20"x18"	20"	18"	11"x15"		90 lbs.
24"x20"	24"	20"	12"x16"		100 lbs.
27"x22"	27"	22"	13"x17"		125 lbs.

Specify Plate Number and Size When Ordering

**NOTE:** For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-30



NOTE: Rough height of supplies ..... 22½  
 Rough height of waste ..... 18

Plug & Chain	22½
Pop-up Waste Combination	15½

Size	W	L	C	P	F	B	D	R
20x18 .....	18¾	20	10	3	10	15	4	16½
20x20 .....	20	24	12	3	12	17	5	20
27x22 .....	22	27	12	3¾	13	17	5	22

Dimensions subject to ½" variation

MUELLER

## THE "ATWOOD"



**Plate H-32.** Mueller "Atwood" two-fired vitreous china lavatory with hooded overflow and with anti-splash rim; rear outlet oval bowl; supported on concealed wall bracket.

**Mueller H-3615** compression supply and pop-up drain. China four-arm handles; china escutcheons and china spout. **H-7281** 1¼" "P" trap with china escutcheon. **H-6322** ¾" supply pipes; stops with china cross arm handles and china escutcheons.

Specify if fittings are desired in chromium plate or nickel plate.

**Plate H-32**—Complete as described

**Plate H-33**—Complete as described less fittings.

Depressed soap dish regularly furnished with 20"x18" and 24"x20" lavatory only.

### DIMENSIONS:

Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
20"x18"	20"	18"	11"x15"	90 lbs.
24"x20"	24"	20"	12"x16"	100 lbs.
27"x22"	27"	22"	13"x17"	125 lbs.

**Plate H-34.** Mueller "Atwood" two-fired vitreous china lavatory with hooded overflow and with anti-splash rim; rear outlet oval bowl; supported on concealed wall bracket.

**Mueller H-3182** compression lavatory faucets and **H-3675** pop-up drain fitting. China indexed side lever handles. **H-7281** 1¼" "P" trap with china escutcheon. **H-6322** ¾" supply pipes; stops with china cross arm handles and china escutcheons.

Specify if fittings are desired in chromium plate or nickel plate.

**Plate H-34**—Complete as described

**Plate H-35**—Complete as described less fittings.

Depressed soap dish regularly furnished with 20"x18" and 24"x20" lavatory only.



Specify Plate Number and Size When Ordering  
NOTE: For roughing-in measurements see next page



**MUELLER CO.**  
**DECATUR, ILLINOIS**  
ESTABLISHED  
1857

MANUFACTURERS  
*of*  
**TWO ~ FIRED**  
**VITREOUS CHINA WARE**  
AND  
**BRONZE**  
**PLUMBING**  
**GOODS**




MAIN OFFICE AND FACTORY,  
**DECATUR, ILLINOIS**  
CANADIAN FACTORY: SARNIA, ONT.  
BRANCHES: SAN FRANCISCO,  
LOS ANGELES, NEW YORK,  
DALLAS, ATLANTA

COPYRIGHT  
MUELLER CO.  
DECATUR, ILLINOIS  
1 9 2 9



ROUGHING-IN MEASUREMENTS  
PLATE H-32 AND H-34



NOTE: Rough height of supplies ..... Plug & Chain ..... 22½  
Rough height of waste ..... 18 ..... Pop-up Waste Combination ..... 20½  
..... 15½

Size	W	L	C	P	F	B	D	R
20x18 .....	18¾	20	10	3	10	15	4	16½
24x20 .....	20	24	12	3	12	17	5	20
27x22 .....	22	27	12	3¾	13	17	5	22

Dimensions subject to ½" variation

MUELLER

## THE "ROSAMOND"



**Plate H-36.** Mueller "Rosamond" two-fired vitreous china colonial pattern lavatory, with integral spout; anti-splash rim; real outlet square bowl; chromium plated wall brackets, vitreous china Colonial pattern leg.

**Mueller H-3625** compression supply and pop-up drain fitting; china four arm handles and china escutcheons; **H-7281** 1 1/4" "P" trap with china escutcheon. **H-6322** 3/8" supply pipes, stops with china four-arm handles and china escutcheons.

**Plate H-36**—Complete as described.

**Plate H-37**—As described less fittings.

Lavatories furnished less depressed soap dish.

**NOTE:** Specify if fittings are desired in chromium or nickel plate. This lavatory may also be used with combinations having spout.

### DIMENSIONS:


Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
24"x20"	24"	20"	12"x16"	155 lbs.
27"x22"	27"	22"	13"x17"	165 lbs.

Specify Plate Number and Size When Ordering

**NOTE:** For roughing-in measurements see the next page



ROUGHING-IN MEASUREMENTS  
PLATE H-36



		Plug & Chain	Pop-up Waste Combination
NOTE:	Rough height of supplies .....	22½	20½
	Rough height of waste .....	18	15½

Size	L	W	P	F	B	D	R
24x20 .....	20	24	2¾	10¾	17¼	3¾	21
27x22 .....	22	27	3⅛	11¾	18¼	4½	22

Dimensions subject to ½" variation

# MUELLER

## THE "ROSAMOND"



**Plate H-38.** Mueller "Rosamond" two-fired vitreous china colonial pattern lavatory with hooded overflow; anti-splash rim; rear outlet square bowl; chromium plated wall brackets; vitreous china colonial pattern leg.

**Mueller H-3615** compression supply and pop-up drain fitting; china four-arm handles and china escutcheons. **H-7281** 1 1/4" "P" trap with china escutcheon. **H-6322** 3/8" supply pipes; stops with china cross arm handles and china escutcheons.

Specify if fittings are desired in chromium plate or nickel plate.

**Plate H-38**—Complete as described

**Plate H-39**—As described less fittings.

Lavatories furnished less depressed soap dish.

### DIMENSIONS:

Normal Sizes	Length	Width	Basin	Approx. Shipping Weight
24"x20"	24"	20"	12"x16"	155 lbs.
27"x22"	27"	22"	13"x17"	165 lbs.

**Plate H-40.** Mueller "Rosamond" two-fired vitreous china colonial pattern lavatory with hooded overflow; anti-splash rim; rear outlet square bowl; chromium plated wall brackets; vitreous china colonial pattern leg.

**Mueller H-3600** colonial design compression supply and pop-up drain fitting; four-arm handles and escutcheons. **H-7281** 1 1/4" "P" trap with china escutcheons. **H-6322** 3/8" supply pipes; stops with china four-arm handles and china escutcheons.

Fittings furnished in Chromium plate only.

**Plate H-40**—Complete as described

**Plate H-41**—As described less fittings.


Lavatories furnished less depressed soap dish.



Specify Plate Number and Size When Ordering  
NOTE: For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-38 AND H-40



NOTE: Rough height of supplies ..... Plug & Chain 22½  
Rough height of waste ..... 18 Pop-up Waste Combination 20½  
15½

Size	L	W	P	F	B	D	R
24x20 .....	20	24	2¾	10¾	17¼	3¾	21
27x22 .....	22	27	3⅛	11¾	18¼	4½	22

Dimensions subject to ½" variation

MUELLER

## THE "EVANSTON"



Plate H-42. Mueller "Evanston" two-fired vitreous china lavatory with hooded overflow; integral spout; anti-splash rim; rear outlet oval bowl; chromium plated wall brackets; vitreous china leg.

Mueller H-3625 compression supply and pop-up drain fitting; china four-arm handles and china escutcheons. H-7281 1/4" "P" trap with china escutcheon. H-6322 3/8" supply pipes; stops with china cross arm handles and china escutcheons.

Plate H-42—Complete as described

Plate H-43—Complete as described  
less fittings.

Depressed soap dish regularly furnished on 20"x18" and 24"x20" lavatory only.

NOTE: Specify if fittings are desired in chromium or nickel plate. This lavatory may also be used with combinations having spout.

### DIMENSIONS:


Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
20"x18"	20"	18"	11"x15"	90 lbs.
24"x20"	24"	20"	12"x16"	100 lbs.
27"x22"	27"	22"	13"x17"	125 lbs.

Specify Plate Number and Size When Ordering

NOTE: For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-42



NOTE: Rough height of supplies ..... Plug & Chain 22½  
Rough height of waste ..... 18 Pop-up Waste Combination 20½  
15½

Size	L	W	C	P	F	B	D	G	R
20x18 .....	20	18¾	10	3	10	15	4	7	16½
24x20 .....	24	20	12	3	12	17	5	8½	20
27x22 .....	27	22	12	3¾	13	17	5	8½	22

Dimensions subject to ½" variation

MUELLER

## THE "EVANSTON"



**Plate H-44.** Mueller "Evanston" two-fired vitreous china lavatory with hooded overflow; anti-splash rim; rear outlet oval bowl; chromium plate wall brackets; vitreous china leg.

**Mueller H-3615** compression supply and pop-up drain fittings. All china handles, china escutcheons and china spout. **H-7281** 1 $\frac{1}{4}$ " "P" trap with china escutcheon. **H-6322**  $\frac{3}{8}$ " supply pipes; stops with china cross arm handles and china escutcheons.

Specify if fittings are desired in chromium plate or nickel plate.

**Plate H-44**—Complete as described

**Plate H-45**—Complete as described less fittings.

Depressed soap dish furnished on 20"x18" and 24"x20" lavatory only.

### DIMENSIONS:

Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
20"x18"	20"	18"	11"x15"	90 lbs.
24"x20"	24"	20"	12"x16"	100 lbs.
27"x22"	27"	22"	13"x17"	125 lbs.

**Plate H-46.** Mueller "Evanston" two-fired vitreous china lavatory with hooded overflow; anti-splash rim; rear outlet oval bowl; chromium plate wall brackets; vitreous china leg.

**Mueller H-3013** compression lavatory faucets. Four arm brass handle with china index. **H-3675** pop-up drain fitting. **H-7281** 1 $\frac{1}{4}$ " "P" trap with china escutcheon. **H-6322**  $\frac{3}{8}$ " supply pipes; stops with china cross arm handles and china escutcheons.

Specify if fittings are desired in chromium plate or nickel plate.

**Plate H-46**—Complete as described

**Plate H-47**—Complete as described less fittings.


Depressed soap dish furnished regularly with 20"x18" and 24"x20" lavatory only.



Specify Plate Number and Size When Ordering  
NOTE: For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-44 AND H-46




NOTE: Rough height of supplies ..... Plug & Chain ..... 22½  
Rough height of waste ..... 18 ..... Pop-up Waste Combination ..... 20½  
..... 15½

Size	L	W	C	P	F	B	D	G	R
20x18 .....	20	18¾	10	3	10	15	4	7	16½
24x20 .....	24	20	12	3	12	17	5	8½	20
27x22 .....	27	22	12	3¾	13	17	5	8½	22

Dimensions subject to ½" variation

MUELLER

## THE "WHEATON"



**Plate H-50.** Mueller "Wheaton" two-fired vitreous china lavatory with back; hooded overflow; anti-splash rim; rear outlet oval bowl; concealed wall hanger; vitreous china leg.

**Mueller H-3625** compression supply and pop-up drain fitting. China four-arm index handles and china escutcheons. **H-7281** 1 $\frac{1}{4}$ " "P" trap with china escutcheon. **H-6322**  $\frac{3}{8}$ " supply pipes; stops with china cross arm handles and china escutcheons.

**Plate H-50**—Complete as described

**Plate H-51**—Complete as described  
less fittings.

Depressed soap dish regularly furnished on 20"x18" and 24"x20" lavatory only.

NOTE: Specify if fittings are desired in chromium or nickel plate. This lavatory may also be used with combinations having spout.

### DIMENSIONS:


Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
20"x18"	20"	18"	11"x15"	110 lbs.
24"x20"	24"	20"	12"x16"	130 lbs.

Specify Plate Number and Size When Ordering

NOTE: For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-50



		Plug & Chain		Pop-up Waste Combination	
NOTE:	Rough height of supplies .....		22½		20½
	Rough height of waste .....		18		15½

Size	L	W	C	P	F	B	D	G
20x18 .....	20	18¾	10	3	10	15	5	8
24x20 .....	24	20	12	4	12	17	5½	7½

Dimensions subject to ½" variation

# MUELLER

## THE "WHEATON"



**Plate H-52.** Mueller "Wheaton" two-fired vitreous china lavatory with back; hooded overflow; anti-splash rim; rear outlet oval bowl; concealed wall hanger; vitreous china leg.

**Mueller H-3615** compression supply and pop-up drain fitting. China four-arm handles, china escutcheons and china spout. **H-7281** 1 1/4" "P" trap with china escutcheon. **H-6322** 3/8" supply pipes; stops with china cross arm handles and china escutcheons.

Specify if fittings are desired in chromium plate or nickel plate.

**Plate H-52**—Complete as described

**Plate H-53**—Complete as described less fittings.

Depressed soap dish regularly furnished on 20"x18" and 24"x20" lavatory only.

### DIMENSIONS:

Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
20"x18"	20"	18"	11"x15"	110 lbs.
24"x20"	24"	20"	12"x16"	130 lbs.

**Plate H-54.** Mueller "Wheaton" two-fired vitreous china lavatory with back; hooded overflow; anti-splash rim; rear outlet oval bowl; concealed wall hanger; vitreous china leg.

**Mueller H-3182** compression lavatory faucets with china index side lever handles. **H-3675** pop-up drain fitting. **H-7281** 1 1/4" "P" trap with china escutcheon. **H-6322** 3/8" supply pipes; stops with china cross arm handles and china escutcheons.

**Plate H-54**—Complete as described

**Plate H-55**—Complete as described less fittings.

Specify if fittings are desired in Chromium plate or nickel plate.


Depressed soap dish furnished regularly on 20"x18" and 24"x20" lavatory only.



Specify Plate Number and Size When Ordering  
NOTE: For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-52 AND H-54



		Plug & Chain					Pop-up Waste Combination		
NOTE:		Rough height of supplies .....					20½		
		Rough height of waste .....					15½		
Size		L	W	C	P	F	B	D	G
20x18	.....	20	18¾	10	3	10	15	5	8
24x20	.....	24	20	12	4	12	17	5½	7½

Dimensions subject to ½" variation

MUELLER

## THE "CLINTON"



**Plate H-60.** Mueller "Clinton" two-fired vitreous china lavatory with back; hooded overflow; anti-splash rim; rear outlet oval bowl; concealed wall hanger.

**Mueller H-3625** compression supply and pop-up drain fitting; china four-arm handles and china escutcheons. **H-7281** 1 $\frac{1}{4}$ " "P" trap with china escutcheon. **H-6322**  $\frac{3}{8}$ " supply pipes; stops with china four-arm handles and china escutcheons.

**Plate H-60**—Complete as described

**Plate H-61**—Complete as described less fittings.

Depressed soap dish regularly furnished with 20"x18" and 24"x20" lavatory only.

**NOTE:** Specify if fittings are desired in chromium or nickel plate. This lavatory may also be used with combinations having spout.

### DIMENSIONS:

Nominal  
Sizes  
20"x18"  
24"x20"

Length  
20"  
24"

Width  
18"  
20"

Basin  
11"x15"  
12"x16"


Approx.  
Shipping  
Weight  
65 lbs.  
85 lbs.

Specify Plate Number and Size When Ordering

**NOTE:** For roughing-in measurements see next page.



ROUGHING-IN MEASUREMENTS  
PLATE H-60



NOTE: Rough height of supplies ..... 22½"  
Rough height of waste ..... 18"

Plug & Chain

Pop-up Waste  
Combination

Size	L	W	C	P	F	B	D	G	H	Plug & Chain E	Combination Pop-up Waste
29x18 .....	20	18¾	10	3	10	15	5	8	7½	18"	16 "
24x20 .....	24	20	12	4	12	17	5½	7½	8½	18"	16 "
Height of supplies .....										22"	20½"

Dimensions subject to ½" variation

MUELLER

## THE "CLINTON"



**Plate H-62.** Mueller "Clinton" two-fired vitreous china lavatory with back; hooded overflow; anti-splash rim; rear outlet oval bowl; concealed wall bracket.

**Mueller H-3617**—Combination compression pop-up drain fittings, with all china indexed handles and china escutcheons; metal spout. **H-7281** 1 $\frac{1}{4}$ " "P" trap with china escutcheon. **H-6322**  $\frac{3}{8}$ " supply pipes; stops with china four-arm handles and china escutcheons.

**Plate H-62**—Complete as described

**Plate H-63**—Complete as described less fittings.

Specify if fittings are desired in Chromium plate or nickel plate.

Depressed soap dish regularly furnished with 20"x18" and 24"x20" lavatory only.

### DIMENSIONS:

Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
20"x18"	20"	18"	11"x15"	65 lbs.
24"x20"	24"	20"	12"x16"	85 lbs.

**Plate H-64.** Mueller "Clinton" two-fired vitreous china lavatory with back; hooded overflow; anti-splash rim; rear outlet oval bowl; concealed wall bracket.

**Mueller H-3120**—Compression faucets with china indexed top lever handles. **H-3675** pop-up drain fitting with china knob and china escutcheon. **H-7281** "P" trap with china escutcheon. **H-6322**  $\frac{3}{8}$ " supply pipes; stops furnished with china four-arm handles and china escutcheons.

**Plate H-64**—Complete as described

**Plate H-65**—Complete as described less fittings.

Specify if fittings are desired in Chromium plate or nickel plate.

Depressed soap dish regularly furnished with 20"x18" and 24"x20" lavatory only.




Specify Plate Number and Size When Ordering  
NOTE: For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS

PLATE H-62 AND H-64



NOTE: Rough height of supplies ..... 22½  
 Rough height of waste ..... 18

Plug & Chain  
 Pop-up Waste Combination  
 20½  
 15½

Size	L	W	C	P	F	B	D	G	H	E	Chain Stay
20x18 .....	20	18¾	10	3	10	15	5	8	7½	17	19
24x20 .....	24	20	12	4	12	17	5½	7½	8½	16	18

Dimensions subject to ½" variation

MUELLER

## THE "LA SALLE"



**Plate H-70.** Mueller "LaSalle" two-fired vitreous china round front lavatory with back; hooded overflow; anti-splash rim; rear outlet oval bowl; concealed wall bracket.

**Mueller H-3120** compression faucets with china indexed top lever handles. **H-3675** pop-up drain fitting with china knob and escutcheon. **H-7281** 1 1/4" "P" trap with escutcheon. **H-6322** 3/8" supply pipes with china four-arm handle and china escutcheon.

**NOTE:** Pop-up drain not illustrated but regularly furnished.

Specify if fittings are desired in chromium plate or nickel plate.

**Plate H-70**—Complete as described

**Plate H-71**—As described less fittings.

### DIMENSIONS:

Nominal  
Sizes  
18"x17"

Length  
18"

Width  
17"

Basin  
11"x14 1/2"

Approx.  
Shipping  
Weight  
53 lbs.

**Plate H-72.** Mueller "LaSalle" two-fired vitreous china lavatory with back; hooded overflow; anti-splash rim; rear outlet oval bowl; concealed wall bracket.

**Mueller H-3120** compression faucets with china indexed top lever handles; n.p. chain stay; non-kink ball chain and rubber stopper. **H-7281** 1 1/4" "P" trap with china escutcheon. **H-6322** 3/8" supply pipes with china four-arm handles and china wall escutcheons.

Specify if fittings are desired in chromium plate or nickel plate.

**Plate H-72**—Complete as described


**Plate H-73**—As described less fittings.



Specify Plate Number and Size When Ordering  
**NOTE:** For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-70 AND H-72



	Plug & Chain	Pop-up Waste Combination
NOTE: Rough height of supplies .....	22 1/2	
Rough height of waste .....	18	15 1/2

Dimensions subject to 1/2" variation

MUELLER

## THE "ASHLAND"



**Plate H-80.** Mueller "Ashland" two-fired vitreous china round front lavatory with back; hooded overflow; anti-splash rim; center outlet oval bowl; concealed wall bracket. **Mueller H-3290**—Compression double faucet with china indexed side lever handles. **H-3685** pop-up drain fitting with China lever handle and china escutcheon. China lipped pedestal soap dish. **H-7281**  $1\frac{1}{4}$ " "P" trap with china escutcheon. **H-6322**  $\frac{3}{8}$ " supply pipes with special "Y" connection; stops with china four-arm handles and china escutcheons.

**Plate H-80**—Complete as described

**Plate H-81**—Complete as described less fittings.

Specify if fittings are desired in Chromium plate or nickel plate.

### DIMENSIONS:


Nominal Sizes	Length	Width	Basin	Approx. Shipping Weight
26"x14½"	26"	14½"	10¼"x16½"	56 lbs.

Specify Plate Number When Ordering

NOTE: For roughing-in measurements see next page



ROUGHING-IN MEASUREMENTS  
PLATE H-80



Dimensions subject to 1/2" variation

MUELLER

## THE "ASHLAND"



**Plate H-82.** Mueller "Ashland" two-fired vitreous china round front lavatory with back; hooded overflow; anti-splash rim; center outlet oval bowl; concealed wall bracket.

**Mueller H-3120**—Compression faucets with china indexed top lever handles. **H-3685** pop-up drain fitting with china lever handle and china escutcheon. **H-7281** 1¼" "P" trap with china escutcheon. **H-6322** ¾" supply pipes; stops with china four-arm handles and n.p. escutcheons.

Specify if fittings are desired in chromium plate or nickel plate.

**Plate H-82**—Complete as described

**Plate H-83**—As described less fittings.

### DIMENSIONS:

Nominal  
Sizes  
26"x14½"

Length  
26"

Width  
14½"

Basin  
10¼"x16½"

Approx.  
Shipping  
Weight  
56 lbs.

**Plate H-84.** Mueller "Ashland" two-fired vitreous china round front lavatory with back; hooded overflow; anti-splash rim; center outlet oval bowl; concealed wall bracket.

**Mueller H-3120**—Compression faucets with china indexed top lever handles; n.p. chain stay; non-kink ball chain and rubber stopper. **H-7281** 1¼" "P" trap with escutcheon. **H-6322** ¾" supply pipes; stops with china four-arm handles and n.p. escutcheons.

**Plate H-84**—Complete as described

**Plate H-85**—As described less fittings.

Specify if fittings are desired in chromium plate or nickel plate.




Specify Plate Number When Ordering

NOTE: For roughing-in measurements see next page.



ROUGHING-IN MEASUREMENTS  
PLATE H-82 AND H-84



NOTE: Plug & Chain  
Rough height of supplies ..... 22½  
Rough height of waste ..... 18

Pop-up Waste  
Combination  
15½

Dimensions subject to ½" variation

MUELLER



*MUELLER*  
TOILET  
COMBINATIONS

MUELLER

## “DECATUR DE LUXE” COMBINATION

SYPHON JET—EXTENDED INLET—EXTENDED LIP



Plate H-100. Mueller “Decatur DeLuxe”

All White two-fired vitreous china quiet-action syphon-jet closet combination; comprised of **H-200** vitreous china quiet-action syphon-jet bowl with extended lip; extended top supply inlet; improved sanitary plain flushing rim and square bolted base. **H-250** vitreous china eight gallon; colonial design low-down tank with concealed top supply high pressure float valve with integral stop valve; all white colonial pattern double action trip lever; positive guide flush valve; **H-280** vitreous china colonial pattern straight flush casing. All white guaranteed open front full saddle seat and cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight 157 lbs.

## “DECATUR DE LUXE” COMBINATION

SYPHON JET—EXTENDED INLET—PLAIN FRONT

Plate H-101. Mueller “Decatur DeLuxe” all white two-fired vitreous china quiet-action syphon-jet closet combination; comprised of **H-201** vitreous china quiet-action syphon-jet bowl with plain front; extended top supply inlet; improved sanitary plain flushing rim and square bolted base. **H-250** vitreous china eight gallon; colonial design low-down tank with concealed top supply high pressure float valve with integral stop valve; all white colonial pattern double action trip lever; positive guide flush valve; **H-280** vitreous china colonial pattern straight flush casing. All white guaranteed full saddle seat and cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight 155 lbs.



Specify Plate Number When Ordering





MUELLER

## “DANVILLE DE LUXE” COMBINATION

SYPHON JET—EXTENDED INLET—EXTENDED LIP



Plate H-106. Mueller “Danville DeLuxe” all white two-fired vitreous china quiet-action syphon-jet closet combination; comprised of H-200 vitreous china quiet-action syphon-jet bowl with extended lip; extended top supply inlet; improved sanitary plain flushing rim and square bolted base. H-256 vitreous china eight gallon plain design low-down tank with concealed top supply high pressure float valve with integral stop valve; all white plain pattern double action trip lever; positive guide flush valve; H-281 vitreous china plain pattern straight flush casing. All white guaranteed open front full saddle seat and cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight 165 lbs.

## “DANVILLE DE LUXE” COMBINATION

SYPHON JET—EXTENDED INLET—PLAIN FRONT

Plate H-107. Mueller “Danville DeLuxe” all white two-fired vitreous china quiet-action syphon-jet closet combination; comprised of H-201 vitreous china quiet-action syphon-jet bowl with plain front; extended top supply inlet; improved sanitary plain flushing rim and square bolted base. H-256 vitreous china eight gallon plain design low-down tank with concealed top supply high pressure float valve with integral stop valve; all white plain pattern double action trip lever; positive guide flush valve; H-281 vitreous china plain pattern straight flush connection casing. All white guaranteed full saddle seat and cover; floor flange; closet bolts and china bolt caps.



Approximate Shipping Weight 162 lbs.



Specify Plate Number When Ordering



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-106



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-107

Dimensions subject to 1/2" variation

MUELLER

## “PAXTON” COMBINATION

SYPHON JET—EXTENDED LIP



**Plate H-118.** Mueller “Paxton” two-fired vitreous china quiet-action syphon-jet closet combination; comprised of **H-206** vitreous china quiet-action syphon-jet bowl with extended lip; top supply inlet; improved sanitary plain flushing rim and square bolted base. **H-251** vitreous china eight gallon colonial design low-down tank; bottom supply; high pressure elevated float valve; all white colonial pattern double action trip lever; positive guide flush valve; n.p. offset flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed open front saddle seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-119.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-120.** As described; except with n.p. iron pipe size supply pipe to floor.

Approximate Shipping Weight 163 lbs.

## “PAXTON” COMBINATION

SYPHON JET—PLAIN FRONT

**Plate H-121.** Mueller “Paxton” two-fired vitreous china quiet-action syphon-jet closet combination; comprised of **H-207** vitreous china quiet-action syphon-jet bowl with plain front; top supply inlet; improved sanitary plain flushing rim and square bolted base. **H-251** vitreous china eight gallon colonial design low-down tank; bottom supply; high pressure elevated float valve; all white colonial pattern double action trip lever; positive guide flush valve; n.p. offset flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed full saddle seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-122.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-123.** As described; except with n.p. iron pipe size supply pipe to floor.



Approximate Shipping Weight 162 lbs.



Specify Plate Number When Ordering



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-118



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-121

Dimensions subject to 1/2" variation

MUELLER

## 'RIVERTON' COMBINATION

SYPHON JET—EXTENDED LIP



**Plate H-126.** Mueller "Riverton" two-fired vitreous china quiet-action syphon-jet closet combination; comprised of **H-206** vitreous china quiet-action syphon-jet bowl with extended lip; top supply inlet; improved sanitary plain flushing rim and square bolted base. **H-257** vitreous china eight gallon plain design low-down tank; bottom supply; high pressure elevated float valve; all white plain pattern double action trip lever; positive guide flush valve; n.p. offset flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed open front saddle seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-127.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-128.** As described; except with n.p. iron pipe size supply pipe to floor.

Approximate Shipping Weight 164 lbs.

## 'RIVERTON' COMBINATION

SYPHON JET—PLAIN FRONT

**Plate H-129.** Mueller "Riverton" two-fired vitreous china quiet-action syphon-jet closet combination; comprised of **H-207** vitreous china quiet-action syphon-jet bowl with plain front; top supply inlet; improved sanitary plain flushing rim and square bolted base. **H-257** vitreous china eight gallon plain design low-down tank; bottom supply; high pressure elevated float valve; all white plain pattern double action trip lever; positive guide flush valve; n.p. offset flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed full saddle seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-130.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-131.** As described; except with n.p. iron pipe size supply pipe to floor.

Approximate Shipping Weight 162 lbs.



Specify Plate Number When Ordering





MUELLER

## 'KINGSTON' COMBINATION

REVERSE TRAP—EXTENDED LIP



**Plate H-142.** Mueller "Kingston" two-fired vitreous china syphon-action reverse trap closet combination; comprised of **H-220** vitreous china syphon-action reverse trap bowl with extended lip; back supply inlet with jet; improved sanitary plain flushing rim and square bolted base. **H-251** vitreous china eight gallon colonial design low-down tank; bottom supply; high pressure elevated float valve; all white colonial pattern double action trip lever; positive guide flush valve; n.p. elbow flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed open front saddle seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-143.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-144.** As described; except with n.p. iron pipe size supply pipe to floor.

Approximate Shipping Weight 155 lbs.

## 'KINGSTON' COMBINATION

REVERSE TRAP—PLAIN FRONT

**Plate H-145.** Mueller "Kingston" two-fired vitreous china syphon-action reverse trap closet combination; comprised of **H-221** vitreous china syphon-action reverse trap bowl with plain front; back supply inlet with jet; improved sanitary plain flushing rim and square bolted base. **H-251** vitreous china eight gallon colonial design low-down tank; bottom supply; high pressure elevated float valve; all white colonial pattern double action trip lever; positive guide flush valve; n.p. elbow flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed full saddle seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-146.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-147.** As described; except with n.p. iron pipe size supply pipe to floor.

Approximate Shipping Weight 153 lbs.




Specify Plate Number When Ordering




ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-142

Roughing-in	C	W
14 inch. R	6 "	14"
12 inch. R	3½"	12"



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-145

Roughing-in	C	W
14 inch. R	6 "	14"
12 inch. R	3½"	12"



Dimensions subject to ½" variation

MUELLER

## “MADISON” COMBINATION

REVERSE TRAP—EXTENDED LIP



**Plate H-150.** Mueller “Madison” two-fired vitreous china syphon-action reverse trap closet combination; comprised of **H-220** vitreous china syphon-action reverse trap bowl with extended lip; back supply inlet with jet; improved sanitary plain flushing rim and square bolted base. **H-257** vitreous china eight gallon plain design low-down tank; bottom supply; high pressure elevated float valve; all white plain pattern double action trip lever; positive guide flush valve; n.p. elbow flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed open front saddle seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-151.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-152.** As described; except with n.p. iron pipe size supply pipe to floor.

Approximate Shipping Weight 155 lbs.

## “MADISON” COMBINATION

REVERSE TRAP—PLAIN FRONT

**Plate H-153** Mueller “Madison” two-fired vitreous china syphon-action reverse trap closet combination; comprised of **H-221** vitreous china syphon-action reverse trap bowl with plain front; back supply inlet with jet; improved sanitary plain flushing rim and square bolted base. **H-257** vitreous china eight gallon plain design low-down tank; bottom supply; high pressure elevated float valve; all white pattern double action trip lever; positive guide flush valve; n.p. elbow flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed full saddle seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-154.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-155.** As described; except with n.p. iron pipe size supply pipe to floor.

Approximate Shipping Weight 153 lbs.




Specify Plate Number When Ordering




ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-150

Roughing-in	C	W
14 inch. R	6 "	14"
12 inch. R	3½"	12"



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-153

Roughing-in	C	W
14 inch. R	6 "	14"
12 inch. R	3½"	12"



Dimensions subject to 1/2" variation

MUELLER

## ‘‘WELDON’’ COMBINATION

WASH DOWN—EXTENDED LIP



**Plate H-166.** Mueller ‘‘Weldon’’ two-fired vitreous china syphon-action wash-down closet combination; comprised of **H-230** vitreous china syphon-action wash-down bowl with extended lip; back supply inlet with jet; improved sanitary plain flushing rim and square bolted base. **H-253** vitreous china seven gallon colonial design low-down tank; bottom supply; high pressure elevated float valve; all white colonial pattern double action trip lever; positive guide flush valve; n.p. elbow flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed open front seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-167.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-168.** As described; except with n.p. iron pipe size supply pipe to floor.

Approximate Shipping Weight 142 lbs.

## ‘‘WELDON’’ COMBINATION

WASH DOWN—PLAIN FRONT

**Plate H-169.** Mueller ‘‘Weldon’’ comprised of **H-231** two-fired vitreous china syphon-action wash-down bowl with plain front; back supply inlet with jet; improved sanitary plain flushing rim and square bolted base. **H-253** vitreous china seven gallon colonial design low-down tank; bottom supply; high pressure elevated float valve; all white colonial pattern double action trip lever; positive guide flush valve; n.p. elbow flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-170.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-171.** As described; except with n.p. iron pipe size supply pipe to floor.



Approximate Shipping Weight 141 lbs.



Specify Plate Number When Ordering



Roughing-in	C	W
14 inch. R	6½"	14"
12 inch. R	4½"	12"



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-169

Roughing-in	C	W
14 inch. R	6½"	14"
12 inch. R	4½"	12"

Page 59

MUELLER

## “FAIRFIELD” COMBINATION

WASH DOWN—EXTENDED LIP



**Plate H-174.** Mueller “Fairfield” two-fired vitreous china syphon-action wash-down closet combination; comprised of **H-230** vitreous china syphon-action wash-down bowl with extended lip; back supply inlet with jet; improved sanitary plain flushing rim and square bolted base. **H-259** vitreous china seven gallon plain design low-down tank; bottom supply; high pressure elevated float valve; all white plain pattern double action trip lever; positive guide flush valve; n.p. elbow flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed open front seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-175.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-176.** As described; except with n.p. iron pipe size supply pipe to floor.

Approximate Shipping Weight 125 lbs.

## “FAIRFIELD” COMBINATION

WASH DOWN—PLAIN FRONT

**Plate H-177.** Mueller “Fairfield” comprised of **H-231** two-fired vitreous china syphon-action wash-down bowl with plain front; back supply inlet with jet; improved sanitary plain flushing rim and square bolted base. **H-259** vitreous china seven gallon plain design low-down tank; bottom supply; high pressure elevated float valve; all white plain pattern double action trip lever; positive guide flush valve; n.p. elbow flush connection; **H-330** n.p. supply pipe and angle stop valve to wall. White guaranteed seat and cover; floor flange; closet bolts and china bolt caps.

**Plate H-178.** As described; except with Golden Oak or Birch-Mahogany seat and cover.

**Plate H-179.** As described; except with n.p. iron pipe size supply pipe to floor.

Approximate Shipping Weight 124 lbs.





Specify Plate Number When Ordering



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-174

Roughing-in	C	W
14 inch. R	6½"	14"
12 inch. R	4½"	12"



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-177

Roughing-in	C	W
14 inch. R	6½"	14"
12 inch. R	4½"	12"

Dimensions subject to 1/2" variation

MUELLER

## 'BENTON' COMBINATION

SYPHON JET—EXTENDED LIP



**Plate H-188. Mueller "Benton"** closet combination comprised of **H-206** two-fired vitreous china syphon-jet, extended lip bowl; top supply; improved sanitary flushing rim and square bolted base; n.p. flush valve with stop and wall flange; birch-mahogany seat less cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight, Bowl only 65 lbs.

SYPHON JET—PLAIN FRONT





**Plate H-189. Mueller "Benton"** closet combination comprised of **H-207** two-fired vitreous china syphon-jet plain front bowl; top supply; improved sanitary flushing rim and square bolted base; n.p. flush valve with stop and wall flange; birch-mahogany seat less cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight, Bowl only 63 lbs.

Specify Plate Number When Ordering



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-188



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-189

Dimensions subject to 1/2" variation

MUELLER

## “BEMENT” COMBINATION

SYPHON JET—SIDE SUPPLY—EXTENDED LIP



Plate H-190. Mueller “Bement” closet combination comprised of H-214 two-fired vitreous china syphon jet extended lip bowl; side supply; improved sanitary flushing rim; square bolted base; n.p. flush valve with stop and wall flange; birch-mahogany seat less cover; closet bolts and china bolt caps.

Approximate Shipping Weight Bowl only 67 lbs.

SYPHON JET—SIDE SUPPLY—PLAIN FRONT

Plate H-191. Mueller “Bement” closet combination comprised of H-215 two-fired vitreous china syphon jet plain front bowl; side supply; improved sanitary flushing rim; square bolted base; n.p. flush valve with stop and wall flange; birch-mahogany seat less cover; closet bolts and china bolt caps.



Approximate Shipping Weight Bowl only 65 lbs.



Specify Plate Number When Ordering



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-190



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-191

Dimensions subject to 1/2" variation

MUELLER

## 'RAMSEY' COMBINATION

REVERSE TRAP—EXTENDED LIP—BACK SUPPLY



Plate H-192. Mueller "Ramsey" closet combination comprised of H-220 two-fired vitreous china, syphon action, reverse trap, extended lip bowl with jet; back supply; improved sanitary flushing rim; square bolted base; n.p. flush valve with stop and wall flange; n.p. lower bend; birch-mahogany seat less cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight Bowl only 60 lbs.

REVERSE TRAP—PLAIN FRONT—BACK SUPPLY

Plate H-193. Mueller "Ramsey" closet combination comprised of H-221 two-fired vitreous china, syphon action, reverse trap, plain front bowl with jet; back supply; improved sanitary flushing rim; square bolted base; n.p. lower bend; n.p. flush valve with stop and wall flange; birch-mahogany seat less cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight Bowl only 59 lbs.





Specify Plate Number When Ordering



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-192

Roughing-in	C	W
11 inch. R	6 "	11 "
8½ inch. R	8 "	8½"



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-193

Roughing-in	C	W
11 inch. R	6 "	11 "
8½ inch. R	8 "	8½"

Dimensions subject to 1/2" variation

MUELLER

## 'CARLYLE' COMBINATION

REVERSE TRAP—SIDE SUPPLY—EXTENDED LIP



Plate H-194. Mueller "Carlyle" closet combination comprised of H-226 two-fired vitreous china, syphon action, reverse trap, extended lip bowl with jet; side supply; improved sanitary flushing rim; square bolted base; n.p. flush valve with stop and wall flange; n.p. lower bend; birch-mahogany seat less cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight Bowl only 62 lbs.

REVERSE TRAP—SIDE SUPPLY—PLAIN FRONT

Plate H-195. Mueller "Carlyle" closet combination comprised of H-227 two-fired vitreous china, syphon action, reverse trap, plain front bowl; with jet; side supply; improved sanitary flushing rim; square bolted base; n.p. flush valve with stop and wall flange; n.p. lower bend; birch-mahogany seat less cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight Bowl only 60 lbs.



Specify Plate Number When Ordering





MUELLER

## “ELGIN” COMBINATION

WASH DOWN—BACK SUPPLY—EXTENDED LIP



Plate H-196. Mueller “Elgin” closet combination comprised of H-230 two-fired vitreous china, syphon action, wash down extended lip bowl; back supply; improved sanitary flushing rim; square bolted base; n.p. flush valve with stop and wall flange; n.p. lower bend; birch-mahogany seat less cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight Bowl only 55 lbs.

WASH DOWN—BACK SUPPLY—PLAIN FRONT

Plate H-197. Mueller “Elgin” closet combination comprised of H-231 two-fired vitreous china, syphon action, wash down bowl with plain front; back supply; improved sanitary flushing rim; square bolted base; n.p. flush valve with stop and wall flange; n.p. lower bend; birch-mahogany seat less cover; floor flange; closet bolts and china bolt caps.

Approximate Shipping Weight Bowl only 53 lbs.





Specify Plate Number When Ordering



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-196

Roughing-in	C	W
11½ inch. R	6½	11½
9½ inch. R	4½	9½



ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-197

Roughing-in	C	W
11½ inch. R	6½	11½
9½ inch. R	4½	9½

Dimensions subject to ½" variation

MUELLER





MUELLER

## SYPHON JET CLOSET BOWLS

SPECIAL JETS

EXTENDED LIP—EXTENDED INLET



**Plate H-200 Mueller** two-fired vitreous china quiet acting syphon jet bowl; extended top inlet; extended lip; improved sanitary plain flushing rim, and square bolted base.

Regularly furnished with 2" top spud.

NOTE: For roughing-in measurements see next page.

Approximate Shipping Weight 70 lbs.

NOTE: Regularly sold only in DeLuxe Combinations

PLAIN FRONT—EXTENDED INLET

**Plate H-201 Mueller** two-fired vitreous china quiet acting syphon jet bowl. Plain front; extended top inlet; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with 2" top spud.


NOTE: For roughing-in measurements see next page.

Approximate Shipping Weight 68 lbs.




Specify Plate Number When Ordering





ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-200

ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-201



Dimensions subject to 1/2" variation

MUELLER

## SYPHON JET CLOSET BOWLS

REGULAR STAPLE JETS

EXTENDED LIP



**Plate H-206 Mueller** two-fired vitreous china syphon jet bowl. Top inlet; extended lip; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with 1½" or 2" spud.

For roughing-in measurements see next page.

Specify size of spud when ordering.

Approximate Shipping Weight 65 lbs.

### PLAIN FRONT

**Plate H-207 Mueller** two-fired vitreous china syphon jet bowl. Top inlet; plain front; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with 1½" or 2" spud.

For roughing-in measurements see next page.


Specify size of spud when ordering.

Approximate Shipping Weight 63 lbs.




Specify Plate Number When Ordering





ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-206

ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-207



Dimensions subject to 1/2" variation

MUELLER

## SYPHON JET CLOSET BOWLS

EXTENDED LIP—SIDE SUPPLY



**Plate H-214 Mueller** two-fired vitreous china syphon jet bowl. Side supply; extended lip; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with 1½" spud.

For roughing-in measurements see next page.

Approximate Shipping Weight 67 lbs.

PLAIN FRONT—SIDE SUPPLY



**Plate H-215 Mueller** two-fired vitreous china syphon jet bowl. Side supply; plain front; improved sanitary plain flushing rim; square bolted base.


Regularly furnished with 1½" spud.

For roughing-in measurements see next page.

Approximate Shipping Weight 65 lbs.


Specify Plate Number When Ordering





ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-214

ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-215



Dimensions subject to 1/2" variation

MUELLER





MUELLER

## REVERSE TRAP CLOSET BOWLS

### EXTENDED LIP—BACK SUPPLY



**Plate H-220 Mueller** two-fired vitreous china syphon action reverse trap closet bowl with jet. Back supply; extended lip; improved sanitary plain flushing rim; square bolted base.

**Plate H-220**—14" rough.  
**Plate H-222**—12" rough.

Regularly furnished with 1½" or 2" spud.

For roughing-in measurements see next page.

Specify number and size of spud when ordering.

Approximate Shipping Weight 60 lbs.

### PLAIN FRONT—BACK SUPPLY

**Plate H-221 Mueller** two-fired vitreous china syphon action reverse trap closet bowl with jet. Back supply; plain front; improved sanitary plain flushing rim.

**Plate H-221**—14" rough.  
**Plate H-223**—12" rough.

Regularly furnished with 1½" or 2" spud.

For roughing-in measurements see next page.


Specify number and size of spud when ordering.

Approximate Shipping Weight 59 lbs.



Specify Plate Number When Ordering






ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-220 AND H-222

Roughing-in	C	W
14 inch, R	6 "	8"
12 inch, R	3 1/2"	6"

ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-221 AND H-223

Roughing-in	C	W
14 inch, R	6 "	8"
12 inch, R	3 1/2"	6"



Dimensions subject to 1/2" variation

MUELLER

## REVERSE TRAP CLOSET BOWLS

EXTENDED LIP—SIDE SUPPLY



Plate H-226 Mueller two-fired vitreous china syphon action reverse trap bowl with jet. Side supply; extended lip; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with  $1\frac{1}{2}$ " spud.

For roughing-in measurements see next page.

Approximate Shipping Weight 62 lbs.

PLAIN FRONT—SIDE SUPPLY

Plate H-227 Mueller two-fired vitreous china syphon action reverse trap bowl with jet. Side supply; plain front; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with  $1\frac{1}{2}$ " spud.


For roughing-in measurements see next page.

Approximate Shipping Weight 60 lbs.




Specify Plate Number When Ordering





ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-226

ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-227



Dimensions subject to 1/2" variation

MUELLER

## WASH-DOWN CLOSET BOWLS

REGULAR 14-INCH ROUGHING-IN

EXTENDED LIP—BACK SUPPLY



**Plate H-230.** Mueller two-fired vitreous china syphon action wash-down bowl with jet. Back supply; extended lip; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with  $1\frac{1}{4}$ ",  $1\frac{1}{2}$ " or 2" spud.

Specify size of spud when ordering.

For roughing-in measurements see next page.

Approximate Shipping Weight 55 lbs.

PLAIN FRONT—BACK SUPPLY

**Plate H-231.** Mueller two-fired vitreous china syphon action wash-down bowl with jet. Back supply; plain front; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with  $1\frac{1}{4}$ ",  $1\frac{1}{2}$ " or 2" spud.

Specify size of spud when ordering.


For roughing-in measurements see next page.

Approximate Shipping Weight 53 lbs.




Specify Plate Number When Ordering





ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-230

ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-231



Dimensions subject to 1/2" variation

MUELLER

## WASH-DOWN CLOSET BOWLS

REGULAR 12-INCH ROUGHING-IN

EXTENDED LIP—BACK SUPPLY



**Plate H-232 Mueller** two-fired vitreous china syphon action wash down bowl with jet. Back supply; extended lip; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with  $1\frac{1}{4}$ ",  $1\frac{1}{2}$ " or 2" spud. Specify size of spud when ordering.

For roughing-in measurements see next page.

Approximate Shipping Weight 55 lbs.

PLAIN FRONT—BACK SUPPLY

**Plate H-233 Mueller** two-fired vitreous china syphon action wash down bowl with jet. Back supply; plain front; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with  $1\frac{1}{4}$ ",  $1\frac{1}{2}$ " or 2" spud. Specify size of spud when ordering.


For roughing-in measurements see next page.

Approximate Shipping Weight 53 lbs.




Specify Plate Number When Ordering





ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-232

ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-233



Dimensions subject to 1/2" variation

MUELLER

## WASH-DOWN CLOSET BOWLS

REGULAR 10-INCH ROUGHING-IN

PLAIN FRONT—BACK SUPPLY



**Plate H-241 Mueller** two-fired vitreous china syphon action wash down bowl with jet. Back supply; plain front; improved sanitary plain flushing rim; square bolted base.

Regularly furnished with  $1\frac{1}{4}$ " ,  $1\frac{1}{2}$ " or 2" spud. Specify size of spud when ordering.

For roughing-in measurements see next page.

Approximate Shipping Weight 63 lbs.

REGULAR CENTER OUTLET

PLAIN FRONT—BACK SUPPLY

**Plate H-243 Mueller** two-fired vitreous china syphon action wash down bowl with jet. Back supply; plain front; improved sanitary plain flushing rim; square bolted base. Regular center outlet (18" roughing-in).

**H-245—16"** Roughing - in (not illustrated).

Regularly furnished with  $1\frac{1}{4}$ " ,  $1\frac{1}{2}$ " or 2" spud. Specify size of spud when ordering.


For roughing-in measurements see next page.

Approximate Shipping Weight 59 lbs.




Specify Plate Number When Ordering





ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-241

ROUGHING-IN  
MEASUREMENTS FOR  
PLATE H-243



Dimensions subject to 1/2" variation

MUELLER





MUELLER

## COLONIAL DESIGN CLOSET TANK



**H-250 Mueller** two-fired Vitreous China Colonial design low-down closet tank. Fitted with Mueller red metal compound lever bottom supply valve; special flush valve with positive guide; N.P. flush connection and couplings; double action all china trip lever; brass wall screws.

- H-250**—Eight gallon, concealed top supply.
- H-251**—Eight gallon, regular bottom supply.
- H-252**—Seven gallon, concealed top supply.
- H-253**—Seven gallon, regular bottom supply.


For roughing-in measurements see next page

Approximate Shipping Weight:

- 7 Gal.—85 lbs.
- 8 Gal.—97 lbs.

Specify Plate Number When Ordering






Regular Bottom Supply

ROUGHING-IN  
MEASUREMENTS

Size	7 gal.	8 gal.
L .....	22 "	23 "
W .....	8½"	8½"
D .....	7½"	7⅝"
R .....	5 "	5½"
H .....	17¼"	18¾"
E .....	20¾"	22 "

ROUGHING-IN  
MEASUREMENTS

Size	7 gal.	8 gal.
L .....	22 "	23 "
W .....	8½"	8½"
D .....	7½"	7⅝"
R .....	5 "	5½"
H .....	17¼"	18¾"
E .....	20¾"	22 "
S .....	14 "	15 "
C .....	6½"	7½"



Concealed Top Supply

Dimensions subject to ½" variation

MUELLER

## PLAIN DESIGN CLOSET TANKS



**H-256 Mueller** two-fired Vitreous China plain design low-down closet tank. Fitted with Mueller red metal compound lever bottom supply valve; special flush valve with positive guide; N.P. flush connection and couplings; double action all china trip lever; brass wall screws.


**H-256**—Eight gallon, concealed top supply.  
**H-257**—Eight gallon, regular bottom supply.  
**H-258**—Seven gallon, concealed top supply.  
**H-259**—Seven gallon, regular bottom supply.

For roughing-in measurements see next page

Approximate Shipping Weight:

7 Gal.—69 lbs.  
8 Gal.—93 lbs.

Specify Plate Number When Ordering




Regular Bottom Supply

ROUGHING-IN  
MEASUREMENTS

Size	7 gal.	8 gal.
L .....	21 3/4"	23 1/2"
W .....	7 3/4"	8 1/2"
D .....	7 "	8 "
R .....	4 3/4"	5 3/4"
H .....	17 1/4"	18 "
E .....	20 1/2"	22 1/2"

ROUGHING-IN  
MEASUREMENTS

Size	7 gal.	8 gal.
L .....	21 3/4"	23 1/2"
W .....	7 3/4"	8 1/2"
D .....	7 "	8 "
R .....	4 3/4"	5 3/4"
H .....	17 1/4"	18 "
E .....	20 1/2"	22 1/2"
S .....	14 "	15 "
C .....	6 1/2"	7 1/2"



Concealed Top Supply

Dimensions subject to 1/2" variation



MUELLER


*MUELLER*

TANK TRIMMINGS

MUELLER

## MUELLER H-273 REGULAR PATTERN TANK TRIM

FOR PARTS LIST SEE NEXT PAGE







MUELLER H-273 REGULAR PATTERN  
TANK TRIM

84819 Outlet Tube  
63375 Refill Tube  
50627 Body  
63255 Shank  
50541 Main Part of Stem  
50631 Stem Seat  
50634 Leather Cup Washer  
63172 Shank Washer  
63260 Slip Joint Coupling Nut  
71463 Lock Nut  
50636 Seat Washer  
50647 Seat Washer Screw  
50596 Clamp Arm  
50645 Screw Eye  
50644 Adjusting Screw  
50646 Adjusting Screw Lock Nut  
50549 Fulcrum Arm  
51604 Connecting Link  
50643 Link Screw  
50639 Clamp Screw  
50641 Corrugated Nut  
50640 Corrugated Clamp  
50678 Ball Arm  
40431 Float Ball

MUELLER

# MUELLER H-274 THROUGH THE BACK PATTERN TANK TRIM

FOR PARTS LIST SEE NEXT PAGE




## MUELLER H-274 THROUGH THE BACK PATTERN TANK TRIM

84819 Outlet Tube  
 63375 Refill Tube  
 51657 Body  
 H-335 Stop  
 51658 Stem  
 50631 Stem Seat  
 50634 Leather Cup Washer  
 51695 Fulcrum  
 51604 Connecting Link  
 50636 Seat Washer  
 50647 Seat Washer Screw  
 50644 Adjusting Screw  
 50646 Adjusting Screw Lock Nut  
 63252 Screw Eye  
 50643 Link Screw  
 50596 Clamp Arm  
 50639 Clamp Screw  
 50641 Corrugated Nut  
 50640 Corrugated Clamp  
 40431 Float Ball  
 50678 Ball Arm



MUELLER

## MUELLER H-275 TRIP LEVER




### PARTS LIST

50509 Arm  
50533 Nut  
51710 Spring

50537 Ferrule  
50510 Support  
50504 Screw

50530 Lift  
50601 Stem  
63671 Handle

# MUELLER H-276 FLUSH VALVE



## PARTS LIST

40396 Screw Eye	63084 Lock Nut	50239 Valve Seat
41222 Rubber Gasket	63085 Friction Washer	50292 Guide
50479 Tank Ball	63101 Overflow Tube	63116 Upper Wire



MISCELLANEOUS PARTS AND FITTINGS




**Plate H-280** Two-fired vitreous china Colonial pattern, straight, adjustable flush pipe casing.



**Plate H-281** Two-fired vitreous china plain pattern, straight adjustable flush pipe casing.



**Plate H-282** Two-fired vitreous china plain pattern, offset, adjustable flush pipe casing.




**Plate H-290** N.P. 2 inch 5"x8" elbow flush connection with couplings and rubber slip joint rings.




**Plate H-291** N.P. 2 inch straight flush connection with couplings and rubber slip joint rings.




**Plate H-292** N.P. 2 inch offset flush connection with couplings and rubber slip joint rings. No. 1-1 1/2" offset; No. 2-2" offset.



**Plate H-300** Cast brass 1 1/4" closet spud with brass friction ring, rubber gasket and coupling.



**Plate H-301** Cast brass 1 1/2" closet spud with brass friction ring, rubber gasket and coupling.



**Plate H-302** Cast brass 2" closet spud with brass friction ring, rubber gasket and coupling.



**Plate H-305** Cast iron improved concealed wall hanger for lavatories with backs.



**Plate H-306** Brass closet screws with N.P. brass heads and N.P. brass burrs.




# MISCELLANEOUS PARTS AND FITTINGS



**Plate H-310** Vitreous china Colonial pattern trip lever handle with metal shaft for low-down Colonial tanks.



**Plate H-311** Vitreous china plain pattern trip lever handle with metal shaft for plain low-down tanks.



**Plate H-315** N.P. cast brass lavatory wall bracket with "T" bolt.



**Plate H-320** Vitreous china bolt Cap Size  $1\frac{3}{8}$ "



**Plate H-321** Vitreous china bolt cap. Size  $1\frac{3}{8}$ "




**Plate H-322** Vitreous china bolt cap. Size  $1\frac{3}{8}$ "




**Plate H-325** Lavatory supply pipe to the floor with stop.




**Plate H-326** Lavatory supply pipe to the floor without stop.



**Plate H-330** Angle supply pipe to the wall, with stop. I.P. size.



**Plate H-331** Angle supply pipe to the wall, with stop and tail piece. I.P. size.



**Plate H-332** Angle supply pipe to the wall, less stop. I.P. size.

MUELLER



# INDEX

Grading Fixtures .....	Page 4
Roughing-in Measurements .....	5
Weights .....	5

## LAVATORIES

Ashland .....	38-39-40-41
Atwood .....	16-17-18-19
Clinton .....	32-33-34-35
Decatur DeLuxe .....	8-9-10-11
Evanston .....	24-25-26-27
Lovington .....	12-13-14-15
LaSalle .....	36-37
Rosamond .....	20-21-22-23
Wheaton .....	28-29-30-31

## TOILET COMBINATIONS

Bement .....	64-65
Benton .....	62-63
Carlyle .....	68-69
Danville DeLuxe .....	48-49
Decatur DeLuxe .....	46-47
Elgin .....	70-71
Fairfield .....	60-61
Kingston .....	54-55
Madison .....	56-57
Paxton .....	50-51
Ramsey .....	66-67
Riverton .....	52-53
Weldon .....	58-59

## BOWLS

Reverse Trap, Back Supply .....	90-91
Reverse Trap, Side Supply .....	92-93
Syphon Jet (Special Jet), Top Supply .....	82-83
Syphon Jet, Top Supply (Regular) .....	84-85
Syphon Jet, Side Supply (Regular) .....	86-87
Wash Down (14" Rough), Back Supply .....	94-95
Wash Down (12" Rough), Back Supply .....	96-97
Wash Down (10" Rough), Back Supply .....	98-99

## TANKS

Colonial .....	110-111
Plain .....	112-113


## TANK TRIMS

H-273, For Bottom Supply Tanks .....	120-121
H-274, For Concealed Top Supply .....	122-123
H-275, Trip Lever .....	124
H-276, Flush Valve .....	125

## MISCELLANEOUS PARTS AND FITTINGS

Angle Wall Supply .....	127
Bolt Caps .....	127
Cover Casings .....	127
Concealed Hangers for Lavatory .....	126
Closet Bolts and Burrs .....	126
Flush Connections .....	126
Floor Supplies .....	126
Spuds .....	126
Trip Lever Handle .....	127
Wall Bracket .....	127





Digitized by:



ASSOCIATION FOR PRESERVATION TECHNOLOGY

[www.apti.org](http://www.apti.org)

For the

BUILDING TECHNOLOGY HERITAGE LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>


From the collection of:



SOUTHEASTERN ARCHITECTURAL ARCHIVE  
SPECIAL COLLECTIONS  
HOWARD-TILTON MEMORIAL LIBRARY

<http://seaa.tulane.edu>









Manufactured and Sold by  
**THE HEINN COMPANY**  
MILWAUKEE, U.S.A.

OF - 108



